

### SUPERVISOR'S DECLARATION

I hereby declare that I have checked this thesis and in my opinion, this thesis is adequate in terms of scope and quality for the award of the degree of Bachelor of Engineering in Mechatronics Engineering (Hons.).

(Supervisor's Signature)

Full Name : DR. MOHAMMED ABDO HASHEM

Position : Senior Lecturer

Date : 7 JUNE 2017

DR. MOHAMMED ABDO HASHEM  
SENIOR LECTURER  
FACULTY OF MANUFACTURING ENGINEERING  
UNIVERSITI MALAYSIA PAHANG  
26800 PEKAN  
PAHANG DARUL MAKMUR  
TEL: 09-424 5912 FAX: 09-424 5888



### STUDENT'S DECLARATION

I hereby declare that the work in this thesis is based on my original work except for quotations and citations which have been duly acknowledged. I also declare that it has not been previously or concurrently submitted for any other degree at Universiti Malaysia Pahang or any other institutions.

A handwritten signature in black ink, appearing to read 'Kelvin'.

---

(Student's Signature)

Full Name : KELVIN WONG LE THAI

ID Number : FB13049

Date : 7 JUNE 2017



KELVIN WONG LE THAI

Thesis submitted in fulfillment of the requirements  
for the award of the Bachelor of  
Mechatronics Engineering (Hons.)

Faculty of Manufacturing Engineering  
UNIVERSITI MALAYSIA PAHANG

JUNE 2017

PERPUSTAKAAN 220819 UNIVERSITI MALAYSIA PAHANG	
No. Perolehan <b>119165</b>	No. Panggilan RUP W66 2017 r 3c.
Tarikh <b>09 AUG 2017</b>	

## **ACKNOWLEDGEMENTS**

I would like to express my appreciation and sincere gratitude to my thesis's supervisor, Dr. Mohammed Abdo Hashem. Without his patient supervision, encouragement and invaluable guidance, this work could have never been accomplished. It has been a pleasure to work under his supervision.

I would like to express my sincere gratitude to my family for their patience, a loving and encouragement, which deserve much more attention that I could devote to them during this study as my family member whose blessings and support always helped me to face the challenges ahead. Without their encouragement and support, this work could not be accomplish.

At the end I would like to express my sincere thanks to all my friends and others who helped me directly or indirectly during this project.



## ABSTRAK

Dalam kebelakangan ini, automatik teknologi pemeriksaan visual telah menjadi lebih berpotensi dan penting kepada banyak bidang. Ia adalah kerana kualiti buah-buahan menjadi faktor penting bagi pengguna dan adalah penting untuk seragam pemasaran hasil yang berkualiti tinggi. Kilang buah-buahan penggredan telah ditubuhkan untuk mengurangkan kos pengeluaran dan meningkatkan kualiti buah-buahan. Di samping itu, sistem pemeriksaan visual automatik bertujuan untuk menggantikan teknik manual untuk penggredan buah-buahan sebagai pemeriksaan manual menghadapi masalah dalam mengekalkan konsisten dan keseragaman. Projek ini menerangkan reka bentuk sistem buah penggredan automatik. Satu prototaip sistem ini direka dan diuji. Dalam projek ini, pengesanan kecacatan permukaan buah-buahan yang dinyatakan secara terperinci. Sistem dibangunkan bermula proses dengan menangkap imej buah-buahan dengan menggunakan kamera di mana buah-buahan yang diletakkan di atas meja yang berputar. Kemudian, imej yang dihantar kepada tahap pemprosesan di mana penggredan dilakukan dengan menggunakan MATLAB. Buah-buahan yang digredkan berdasarkan kecacatan permukaan mereka.

## **ABSTRACT**

In recent years, automatic visual inspection technology has become more potential and important to many areas. It is because the quality of fruits becoming an important factor for the consumer and is essential for marketing uniform high quality produce. The fruits grading factories have been set up to reduce production costs and improve fruit quality. Besides, an automatic visual inspection system aimed to replace the manual technique for grading of fruits as manual inspection faces problems in maintaining consistency and uniformity. This project describes the design of an automated fruit grading system. A prototype of the system is designed and tested. In this project, the detection of surface defect of fruits is described in details. The developed system starts the process by capturing the fruit's image using camera where the fruits are placed on a rotating desk. Then, the image is transmitted to the processing level where the grading is done using MATLAB. The fruits are graded based on their surface defects.

## **TABLE OF CONTENT**

**DECLARATION**

**TITLE PAGE**

**ACKNOWLEDGEMENTS** **ii**

**ABSTRAK** **iii**

**ABSTRACT** **iv**

**TABLE OF CONTENT** **v**

**LIST OF TABLES** **viii**

**LIST OF FIGURES** **ix**

**CHAPTER 1 INTRODUCTION** **1**

1.1 Introduction 1

1.2 Problem Statement 2

1.3 Objectives 2

1.4 Project Scope 3

1.5 Project Methodology 3

1.6 Flow Chart 5

**CHAPTER 2 LITERATURE REVIEW** **7**

2.1 Introduction 7

2.2 Theoretical Background 7

2.2.1 Sorting 7

2.2.1.1 Image Processing Technique 8

2.2.2 Automatic Visual Inspection 8

2.2.2.1 Line Scans Camera System 9

2.2.2.2	Matrix Camera System	9
2.2.2.3	Matrix camera with conical mirror system vs Multiple Flat Mirrors System	12
2.3	Types of Algorithms	12
2.3.1	Fuzzy Logic Technique	12
2.3.2	Artificial Neural Network	12
2.3.3	K-Nearest Neighbours Classifier	13
2.4	Literature Review Summary	13
<b>CHAPTER 3 METHODOLOGY</b>		<b>20</b>
3.1	Introduction	20
3.2	Materials and Methods	20
3.2.1	Electrical Part	22
3.2.2	Hardware	25
3.2.3	Graphical User Interface (GUI)	26
3.3	Classification of fruits	26
<b>CHAPTER 4 RESULTS AND DISCUSSION</b>		<b>29</b>
4.1	Introduction	29
4.2	Electrical Circuit	29
4.3	Image Capture	31
4.3.1	Detection of defects	32
4.4	Texture	33
4.5	Result and Analysis	33
4.6	Conclusion	37

<b>CHAPTER 5 CONCLUSION AND RECOMMENDATIONS</b>	<b>39</b>
5.1 Conclusion	39
5.2 Recommendations for future work	39
<b>REFERENCES</b>	<b>41</b>
<b>APPENDIX A GANTT CHART FYP 1</b>	<b>45</b>
<b>APPENDIX B GANTT CHART FYP 2</b>	<b>46</b>
<b>APPENDIX C ARDUINO CODE</b>	<b>47</b>
<b>APPENDIX D MATLAB CODE</b>	<b>54</b>
<b>APPENDIX E CONFERENCE PAPER</b>	<b>56</b>

## LIST OF TABLES

Table 1.1	Bill of materials	4
Table 2.1	Characteristics of matrix camera with conical mirror and with multiple flat mirrors	12
Table 2.2	Summary of literature review	16

## LIST OF FIGURES

Figure 1.1	Flow chart of the project (Part 1)	5
Figure 1.2	Flow chart of the project (Part 2)	6
Figure 2.1	Line scan camera system	9
Figure 2.2	Matrix camera with conical mirror system	10
Figure 2.3	Close view of conical mirror	10
Figure 2.4	Matrix camera with multiple flat mirrors system	11
Figure 2.5	Close view of multiple flat mirrors	11
Figure 3.1	The automatic fruit grading system	21
Figure 3.2	Arduino Mega 2560	22
Figure 3.3	12V DC Geared Motor with encoder SPG30-200K	23
Figure 3.4	Motor driver L293D	24
Figure 3.5	12V Power Adaptor	25
Figure 3.6	Automatic fruit grading system (Catia)	26
Figure 3.7	Graphical User Interface (GUI)	26
Figure 3.8	Apple with Bull-eye rot	27
Figure 3.9	Normal Apple	27
Figure 3.10	Mango with Anthracnose	28
Figure 3.11	Normal Mango	28
Figure 4.1	Schematic diagram of the circuit	30
Figure 4.2	Actual circuit diagram	30
Figure 4.3	Automatic Inspection Prototype with white background	31
Figure 4.4	Prototype of the whole system	32
Figure 4.5	Graphical User Interface (GUI) of the system	32
Figure 4.6	GUI for apple with defect	34
Figure 4.7	GUI for apple without defect	34
Figure 4.8	GUI for mango1 with defect	35
Figure 4.9	GUI for mango2 with defect	36
Figure 4.10	GUI for mango 1 without defect	37
Figure 4.11	GUI for mango 2 without defect	37



## **CHAPTER 1**

### **INTRODUCTION**

#### **1.1 Introduction**

The quality of the fruits is important for the consumers and become the requirement from the suppliers to provide fruits with high standards of quality. So, in the past few years, fruit grading systems had established to fulfil the needs of the fruit processing industry. Besides that, the process of fruits involves several steps that can generally be classified into grading, sorting, packaging, transporting and storage. The grading is considered as the most important steps towards the high standard of quality.

Fruits are almost graded manually which is an expensive and time consuming process and labours shortage will affect to the operation during peak seasons. It has become increasingly difficult to hire or train the person who are willing to handle the monotonous task of inspection. In the meanwhile, a cost effective and accurate grading can be performed with automated grading system.

Generally, the fruits quality depends on outer parameters (size, colour intensity, shape, surface appearances) and inner parameters (sugar contents, acid contents) but colour and size is the most important factor for grading and sorting of fruits. Nowadays, the fruit grading system based on weight, colour and size are accessible in the fruit processing industries.

The fruit grading system techniques using computer machine vision and image processing play the important role of quality control in fruit processing industries. From the past few years, different techniques have been enhanced to sort and evaluate the quality of fruits. These methods can help to detect different physical properties of fruits and with certain quality factors.



For example, the vision- based systems include CCD or CMOS sensors that are used to estimate the size and shape of fruits. It helps to predict the size of the fruits from its RGB image frame with the help of CCD camera. Software plays an important role in this colour classification system. The software system is almost designed in MATLAB to detect the colour and size of the fruits. Colour is very important in the sorting of fruits but due to the similarity of colours between some fruits, the size also helps in solving the problems.

## **1.2 Problem Statement**

Fruits are the important roots of energy and nutrients for human body. With an embossed consumption, the quality of fruits is becoming extremely important for the food processing industries. The inspection of defects of the fruits is an important procedure to grade the fruits. This procedure is labour intensive and subject to human error. Hence, an automated grading system is necessary for inspection of fruits. In order to produce the fruit grading system, many factors that should be considered. To prevent any mis-gradation, the types of fruit are chosen based on the colour of the outer surface, such as mango and apple, so that the camera can detect the colour of the surface clearly. Thus, only two types of fruits are included in this project which are namely mango and apple.

Another problem statement in this project is some researchers use more than one camera for grading of rotationally symmetric product which costs a lot so we are trying in this project to use one camera with rotating of the fruits.

## **1.3 Objectives**

The objectives of the study are:

1. To grade the fruits (apple and mango) based on their outside surface area either to have defect or not.
2. To apply automatic visual inspection system for the detection of fruit defects (apple and mango).
3. To build a low cost visual inspection system for fruit decay finding.

## **1.4 Scope**

In this project, we will only concern on two types of fruits which are an apple and mango. The inspection will be accomplished from only the lateral surface of fruits. Besides, we use only one camera for inspection, therefore a certain area of the fruits can't be detected well which are the upper and lower sides. The fruits are put manually onto the area of inspection. Furthermore, two to three classification of fruits will be considered in this project. The entire system is designed using MATLAB software.

## **1.5 Project Methodology**

The project involves the following activities:

### **i. Literature review**

15 journals regarding the topic was reviewed. From the journals reviewed, there are many methods to grade the fruits. Image processing is the most important method that is used to capture the image of the fruits by using camera. Then, the inspection of fruits are done by detecting the surface of fruits. Lastly, classification of fruits is achieved.

### **ii Problem Statement**

Some problems related to the grading of fruits are listed out. To prevent any mis-gradation, the types of fruit are chosen based on the colour of the outer surface, such as mango and apple, so that the camera can detect the colour of the surface clearly. Thus, only two types of fruits are included in this project which are namely mango and apple. Another problem statement in this project is some researchers use more than one camera for grading of rotationally symmetric product which costs a lot so we are trying in this project to use one camera with rotating of the fruits.

### **iii Objective**

The first objective of the project is to grade the fruits such as apple and mango based on their surface area either to have defects or not. Next objective is to apply automatic visual inspection system for the detection of fruit defects (apple and mango) and lastly is to build a low cost visual inspection system for fruit decay finding.

## REFERENCES

This thesis is prepared based on the following references;

- Afrisal, H., Faris, M., Utomo P., G., Grezelda, L., Soesanti, I., & Andri F., M. (2013). Portable smart sorting and grading machine for fruits using computer vision. *Proceeding - 2013 International Conference on Computer, Control, Informatics and Its Applications: "Recent Challenges in Computer, Control and Informatics"*, IC3INA 2013, 71–75. <https://doi.org/10.1109/IC3INA.2013.6819151>
- Ahmad, U., Suhil, M., Tjahjohutomo, R., & Purwadaria, H. K. (n.d.). Development of Citrus Grading System Using Image Processing.
- Ali, M. A. H., Mailah, M., Tang, H. H., & Kazi, S. (2012). Visual inspection of cylindrical product's lateral surface using cameras and image processing. *International Journal of Mathematical Models and Methods in Applied Sciences*, 6(2), 340–348.
- Ali, M., Mailah, M., Kazi, S., & Tang, H. H. (n.d.). Defects Detection of Cylindrical Object's Surface using Vision System, 222–227.
- Badariah, N., Mustafa, A., Ahmed, S. K., Ali, Z., Yit, W. B., Azwin, A., & Abidin, Z. (2009). Agricultural Produce Sorting and Grading using Support Vector Machines and Fuzzy Logic, 391–396.
- Banot, M. S., & Mahajan, P. M. (2016). A Fruit Detecting and Grading System Based on Image Processing-Review. *International Journal of Innovative Research in Electrical, Electronics, Instrumentation and Control Engineering*, 4(1). <https://doi.org/10.17148/IJIREEICE.2016.4112>
- Blasco, J., Aleixos, N., & Moltó, E. (2003). Machine vision system for automatic quality grading of fruit. *Biosystems Engineering*, 85(4), 415–423. [https://doi.org/10.1016/S1537-5110\(03\)00088-6](https://doi.org/10.1016/S1537-5110(03)00088-6)
- Calpe, J., Pla, F., Monfort, J., Diaz, P., & Boada, J. C. (1996). Robust low-cost vision system for fruit grading. *Proceedings of 8th Mediterranean Electrotechnical Conference on Industrial Applications in Power Systems, Computer Science and Telecommunications (MELECON 96)*, 3(2), 10–13. <https://doi.org/10.1109/MELCON.1996.551285>

- Chandan Kumar, Siddharth Chauhan, R. N. A. and H. M. gurram. (2015). Classifications of Citrus Fruit Using Image Processing -GLCM Parameters. *In IEEE International Conference on Communications and Signal Processing (ICCSP)*, 1743–1747. <https://doi.org/10.1109/ICCSP.2015.7322820>
- Chherawala, Y., Lepage, R., & Doyon, G. (2006). Food Grading/Sorting Based on Color Appearance through Machine Vision: the Case of Fresh Cranberries. *2006 2nd International Conference on Information & Communication Technologies*, 1, 540–545. <https://doi.org/10.1109/ICTTA.2006.1684612>
- Gawande, A. P., & Dhande, P. S. S. (2014). Implementation of fruit Grading System by Image Processing and Data Classifier- A Review, 2(6), 411–413.
- Jhawar, J. (2016). Orange Sorting by Applying Pattern Recognition on Colour Image. *Procedia Computer Science*, 78(December 2015), 691–697. <https://doi.org/10.1016/j.procs.2016.02.118>
- Journal, I., & Issn, I. (2002). Effects of Bagging on Fruit Quality in Navel. *Electronic Publishing*, 7(5), 5–7.
- Khojastehnazhand, M., Omid, M., & Tabatabaeefar, a. (2010). Development of a lemon sorting system based on color and size. *Plant Science*, 4(April), 122–127.
- Kumari, A., & Chawla, V. (2015). Automated Inspection and Grading of Vegetables Using Multisorting System Based on Embedded Platform, 4(6), 1021–1026.
- Londhe, D., Nalawade, S., Pawar, G., Atkari, V., & Wandkar, S. (2013). Grader: A review of different methods of grading for fruits and vegetables. *Agricultural Engineering International: CIGR Journal*, 15(3), 217–230.
- Mahendran, R. (2012). Application of Computer Vision Technique on Sorting and Grading of Fruits and Vegetables. *Journal of Food Processing & Technology*, 1–7. <https://doi.org/10.4172/2157-7110.S1-001>
- Martin, A., & Tosunoglu, S. (2000). Image Processing Techniques For Machine Vision. *Miami, Florida*, 1–9. Retrieved from [http://www.eng.fiu.edu/mme/robotics/elib/am\\_st\\_fiu\\_ppr\\_2000.pdf](http://www.eng.fiu.edu/mme/robotics/elib/am_st_fiu_ppr_2000.pdf)



- Mhaski, R. R. (2015). Determination of Ripeness and Grading of Tomato using Image Analysis on Raspberry Pi.
- Mousavi, A., Ahmadimoghaddam, P., Modares, A., & Dolaty, H. (2012). Sorting and grading of cherries on the basis of ripeness, size and defects by using image processing techniques. *International Journal of Agriculture and Crop Sciences (IJACS)*, 4(16), 1144–1149.
- Ms.Rupali S.Jadhav, & PROF. S.S.Patil. (2013). A Fruit Quality Management System Based On Image Processing . *IOSR Journal of Electronics and Communication Engineering (IOSR-JECE)*, 8(6), 01–05. <https://doi.org/10.9790/2834-0860105>
- Naganur, H. G., Sannakki, S. S., Rajpurohit, V. S., & Arunkumar, R. (2012). Fruits Sorting and Grading using Fuzzy Logic. *International Journal of Advanced Research in Computer Engineering and Technology*, 1(6), 117–122.
- Nandi, C. S., Tudu, B., & Koley, C. (2012). An automated machine vision based system for fruit sorting and grading. *Proceedings of the International Conference on Sensing Technology, ICST*, 195–200. <https://doi.org/10.1109/ICSensT.2012.6461669>
- Nandi, C. S., Tudu, B., & Koley, C. (2014). Machine vision based automatic fruit grading system using fuzzy algorithm. *International Conference on Control, Instrumentation, Energy and Communication, CIEC 2014*, 26–30. <https://doi.org/10.1109/CIEC.2014.6959043>
- Nuño-Maganda, M. A., Hernández-Mier, Y., Torres-Huitzil, C., & Jiménez-Arteaga, J. (2014). FPGA-based real-time citrus classification system. *2014 IEEE 5th Latin American Symposium on Circuits and Systems, LASCAS 2014 - Conference Proceedings*, (L). <https://doi.org/10.1109/LASCAS.2014.6820292>
- Pandey, R., Naik, S., & Marfatia, R. (2013). Image Processing and Machine Learning for Automated Fruit Grading System: A Technical Review. *International Journal of Computer Applications*, 81(16), 29–39. <https://doi.org/10.1.1.402.2751>
- Pavithra, V., Pounroja, R., & Bama, B. S. (2015). Machine vision based automatic sorting of cherry tomatoes. *2nd International Conference on Electronics and Communication Systems, ICECS 2015*, (Icecs), 271–275. <https://doi.org/10.1109/ECS.2015.7124907>

- Saldaña, E., Siche, R., Luján, M., & Quevedo, R. (2013). Review : computer vision applied to the inspection and quality control of fruits and vegetables. Revisão : visão computacional aplicada à inspeção e ao controle da qualidade de frutas e verduras. *Brazilian Journal of Food Technology, Campinas*, 16(4), 254–272. <https://doi.org/10.1590/S1981-67232013005000031>
- Seema, Kumar, A., & Gill, G. S. (2015). Automatic Fruit Grading and Classification System Using Computer Vision: A Review. *Proceedings - 2015 2nd IEEE International Conference on Advances in Computing and Communication Engineering, ICACCE 2015*, (I), 598–603. <https://doi.org/10.1109/ICACCE.2015.15>
- Sofu, M. M., Er, O., Kayacan, M. C., & Cetişli, B. (2016). Design of an automatic apple sorting system using machine vision. *Computers and Electronics in Agriculture*, 127, 395–405. <https://doi.org/10.1016/j.compag.2016.06.030>
- Unay, D., & Gosselin, B. (2005). Artificial neural network-based segmentation and apple grading by machine vision. *Proceedings - International Conference on Image Processing, ICIP*, 2(9813783), 630–633. <https://doi.org/10.1109/ICIP.2005.1530134>
- Wagh, K. H. (2015). Automatic Sorting Using Computer Vision & Image Processing For Improving Apple Quality. *International Journal of Innovative Research and Development*, 4(1), 11–14.
- Yogitha, S., & Sakthivel, P. (2014). A distributed computer machine vision system for automated inspection and grading of fruits. *Proceeding of the IEEE International Conference on Green Computing, Communication and Electrical Engineering, ICGCCEE 2014*, (0), 1–4. <https://doi.org/10.1109/ICGCCEE.2014.6922281>
- Zhao, Y., Wang, D., & Qian, D. (2009). Machine Vision Based Image Analysis for the Estimation of Pear External Quality. *2009 Second International Conference on Intelligent Computation Technology and Automation*, 629–632. <https://doi.org/10.1109/ICICTA.2009.157>